## In the Claims

- 1) (Currently amended) a method for selecting a processor for a system, using a description of system requirements and system desires, said method comprised of comprising:
  - a) reading a list of processors and their attributes from a processor attribute table.
    - b) reading processor requirements from a processor specification list, and
  - c) eliminating all processors from said processor attribute table that do not meet said processor requirements.
- 2) (Original) The method of claim 1) including presenting an error message to the user if all processors have been eliminated from said processor attribute table.
  - 3) (Currently amended) The method of claim 1) further including:
    - a) reading processor desires from a processor specification list,
  - b) assigning a value of 0 to each remaining processor in said processor attribute table,
  - c) adding 1 to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table, and
  - d) ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table.
  - 4) (Currently amended) The method of claim 1) further including:

- a) reading processor desires and corresponding values for each desire from a processor specification list,
- b) assigning a value of 0 to each remaining processor in said processor attribute table,
- c) adding the value of each processor desire to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table, and
- d) ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table.
- (Currently amended) The method of determining the corresponding hardware device for a given hardware driver software source code routine, said method comprised of comprising:
  - a) searching for a description in the header of said hardware driver software source code routine, and
    - b) finding the name of the corresponding hardware device in said description.
- 6) (Currently amended) The method of determining the corresponding hardware device for each hardware driver software source code routine in a set of software source code files, said method comprised of comprising:
  - a) searching for a hardware driver software source code routine in all of said set of software source code files,
    - b) comparing said hardware driver software source code routine with each
      -3Serial No. 10/604,156

LAW OFFICES OF MacPherson, Kwok, Chen & Heid tur 1762 Technology Drive, Suite 236 San Jose, CA 95110 (405)-392-9520 entry in a list of hardware driver software source code routines and corresponding hardware devices, and

- c) repeating a) and b) for each hardware driver software source code routine in said set of software source code files.
- 7) (Currently amended) A method of creating an HDL description of a hardware system, said method emprised of comprising:
  - a) selecting a processor for a system, using a description of system requirements and system desires, said method-comprised of selecting comprising:
    - i) reading a list of processors and their attributes from a processor attribute table.
      - · ii) reading processor requirements from a processor specification list,
    - iii) eliminating all processors from said processor attribute table that do not meet said processor requirements,
      - iv) reading processor desires from a processor specification list,
    - v) assigning a value of 0 to each remaining processor in said processor attribute table.
    - vi) adding 1 to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table,
      - vii) selecting the processor with the highest assigned value from said

LAW OFFICES OF MacPherson, Kwolt, Chen & Bedl Lair 1762 Technology Drive, Suite 226 San foot, CA 95110 (408)-392-4520

processor attribute table, and

- viii) selecting an HDL hardware representation of said selected processor from a list of HDL hardware representations of processors,
- b) determining the corresponding hardware device for <u>a</u> given hardware driver software source code routine, said <del>method comprised of</del> <u>determining comprising</u>:
  - i) searching for descriptions in each header of each hardware driver software source code routine,
  - ii) finding each corresponding hardware device that is named in said description in the header of each hardware driver software source code routine, and
  - iii) selecting an HDL hardware representation of each corresponding hardware device from a list of HDL hardware representations of hardware devices, and
- c) combining said HDL <u>hardware</u> representation of said selected processor
  with said HDL <u>hardware</u> representation of each selected hardware device into a single
  HDL <u>hardware</u> representation of an entire system.
- 8) (Currently amended) The method of Claim 7) wherein said hardware representation comprises a hardware description (HDL) language description A method of creating a physical description of a hardware system, said method comprised of
  - a) selecting a processor for a system, using a description of system requirements and system desires, said method comprised of

LAW OFFICES OF MacPherson, Knock, Chon & Held Lap 1762 Technology Drive, Suite 226 San Jose, CA 951 to (408)-372-9520

- i) reading a list of processors and their attributes from a processor attribute table.
  - ii) reading processor requirements from a processor specification list,
- iii) eliminating all processors from said processor attribute table that do not meet said processor requirements,
- iv) reading processor desires and corresponding values for each desire from a processor specification list,
- v) assigning a value of 0 to each remaining processor in said processor attribute table,
- vi) adding the value of each processor desire to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table;
- vii) ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table,
- viii) selecting a physical representation of said selected processor from a list of physical representations of processors,
- b) determining the corresponding hardware device for given hardware driver software source code routine, said method comprised of
  - i) searching for each hardware driver software source code routine in all of the software source code;

LAW OFFICES OF Meethernes, Kwek, Chen & Heid LLP 1702 Technology Drive, Soile 226 San Joze, CA 95110 (408)-392-9220

- ii) comparing said given hardware driver software source code routine with each entry in a list-of hardware driver software source code routines and corresponding hardware devices.
- iii) selecting a physical representation of each corresponding hardware device from a list of physical representations of hardware devices,
- c) combining said physical representation of said selected processor with said

  physical representation of each selected hardware device into a single physical

  representation of an entire system.
- 9) (Currently amended) The method of Claim 7) wherein said hardware
  representation comprises a physical layout A method of creating a schematic description of a
  hardware system, said method comprised of
  - a) selecting a processor for a system, using a description of system requirements and system desires, said method comprised of
    - i) reading a list of processors and their attributes from a processor attribute table.
      - ii) reading processor requirements from a processor specification-list,
    - iii) eliminating all-processors from said-processor attribute table that do not meet said processor requirements;
      - iv) reading processor desires from a processor specification list,
    - v) assigning a value of 0 to each remaining processor in said processor attribute table.

LAW COPPICES OF MinePherson, Kevel, Chon & Held LLP 1762 Technology Drive, Suite 226 See Jose, CA 95110 (408)-332-9520

- vi) adding 1 to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table,
- vii) selecting the processor with the highest assigned value from said processor attribute table;
- viii) selecting a schematic representation of said selected processor from a list of schematic representations of processors,
- b) determining the corresponding hardware device for given hardware driver software source code routine, said method comprised of
  - i) searching for each hardware driver software source code routine in all of the software source code,
  - ii) comparing said given hardware driver software source code routine
    with each entry in a list of hardware driver software source code routines and
    corresponding hardware devices.
  - iii) selecting a schematic representation of each corresponding hardware device from a list of physical representations of hardware devices,
- c) combining said schematic representation of said selected processor with said schematic representation of each selected hardware device into a single schematic representation of an entire system.
- 10) (Currently amended) The method of Claim 7) wherein said hardware

  representation comprises a circuit schematic A method of creating a netlist description of a

LAW OFFICES OF http://borross, Kwelt, Chen & Field Lar 1762 Technology Daylor, Suite 236 San Jene, CA 65110 (408)-392-0526

hardware system, said method comprised of

- a) selecting a processor for a system, using a description of system requirements and system desires, said method comprised of
  - i) reading a list-of processors and their attributes from a processor attribute table,
    - ii) reading processor requirements from a processor specification list,
  - iii) eliminating all processors from said processor attribute table that do not meet said processor requirements;
  - iv) reading processor desires and corresponding values for each desire
    from a processor specification list,
  - v) assigning a value of 0 to each remaining processor in said processor attribute table.
  - vi) adding the value of each processor-desire to the value of each
    processor in said processor attribute table for each processor desire that is an
    attribute of said processor in said processor attribute table;
  - vii) ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table,
  - viii) selecting a notlist representation of said selected processor from a list of notlist representations of processors,
  - b) determining the corresponding hardware device for given hardware driver

LAW OPPICES OF MmPhorous, Kwok, Chen & Edd LLP 1762 Technology Drive, Saite 236 Sas Jose, CA 951 10 (408)-392-9520 FAX (408)-392-7622

software source code routine, said method comprised of

- i) searching for descriptions in each header of each hardware driver software source code routine,
- ii) finding each corresponding hardware device that is named in said

  description in the header of each hardware driver software source code routine,
- iii) selecting an netlist representation of each corresponding hardware device from a list of netlist representations of hardware devices,
- c) combining said notlist representation of said selected processor with said notlist representation of each selected hardware device into a single notlist representation of an entire system.
- 11) (Currently amended) The method of Claim 7) wherein said hardware representation comprises a circuit netlist An apparatus for selecting a processor for a system, using a description of system requirements and system desires, comprising

a computer;

a processor selection program on said computer, wherein said processor selection program comprises:

- a) means for reading-a list of processors and their attributes from a processor attribute table.
- b) means for reading processor requirements from a processor specification list,

LAW OFFICES OF MatePhoram, Kowk, Chen & Beid Ltr 1762 Technology Drive, Solie 226 San Icce, CA 93110 (408)-393-9320

- e) means for eliminating all processors from said processor attribute table that do not meet said processor requirements.
- 12) (Currently amended) The apparatus of claim 11) including means for presenting an error message to the user if all processors have been eliminated from said processor attribute table. An apparatus for selecting a processor for a system, using a description of system requirements and system desires, comprising

a computer;

a processor selection program on said computer, wherein said processor selection program comprises:

- a) means for reading a list of processors and their attributes from a processor attribute table, and
- b) means for reading processor requirements from a processor specification list, and
- c) means for eliminating all processors from said processor attribute table that do not meet said processor requirements.
- 13) (Currently amended) The apparatus of Claim 12) further including means for presenting an error message to the user when all processors have been eliminated from said processor attribute table The apparatus of claim 11) including
  - a) means for reading processor desires from a processor specification list,
  - b) means for assigning a value of 0 to each remaining processor in said processor attribute table.

LAW OFFICES OF MacPherson, Kwol, Chen & Held Lap 1762 Technology Drive, Soile 226 San Rose, CA 95110 (40E)-392-9320 NAV 40EN-392 SPCS

c) means for adding 1 to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table,

d) means for ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table.

- 14) (Currently amended) The apparatus of claim 12) 11) further including
- a) means for reading processor desires and corresponding values for each desire from a processor specification list,
- b) means for assigning a value of 0 to each remaining processor in said processor attribute table,
- c) means for adding 1 the value of each processor desire to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table, and
- d) means for ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table.
- 15) (Currently amended) The apparatus of claim 12) further including

a) means for reading processor desires and corresponding values for each desire from a processor specification list,

b) means for assigning a value of 0 to each remaining processor in said processor attribute table.

LAW OFFICES OF MacPherson, Kwok, Chen & 1962 Technology Drive, Saire 236 San Jose, CA 95110 (408)-392-8920 Say American Sees c) means for adding the value of each processor desire to the value of each
processor in said processor attribute table for each processor desire that is an attribute
of said processor in said processor attribute table, and

d) means for ranking according to the assigned values, highest to lowest, all processors that have not been eliminated from said processor attribute table An apparatus for determining the corresponding hardware device for a given hardware driver software source code routine, comprising

a computer;

a hardware device determination program on said computer, wherein said hardware device determination program comprises:

a) means for searching for a description in the header of said hardware driver software source code routine,

b) means for finding the name of the corresponding hardware device in said description.

16) (Currently amended) An apparatus for determining the corresponding hardware device for each a given hardware driver software source code routine in a set of software source code files, comprising:

a computer; and

a hardware device determination program on said computer, wherein said hardware device determination program comprises:

a) means for searching for a description in the header of said a

-13- Serial No. 10/604,156

MacPharana, Kwele, Chru & Held 12.9 1762 Technology Drive, Saite 226 San Noe, CA 95110 (403) 332-9526 San Acceptance hardware driver software source code routine in all of said set of software source code files, and

- b) means for finding the name of the comparing said hardware driver software source code routine with each entry in a list of hardware driver software source code routines and corresponding hardware devices device in said description;
- c) means for repeating a) and b) for each hardware driver software source code routine in said set of software source code files.
- 17) (Currently amended) An apparatus for <u>determining the corresponding</u>

  <u>hardware device for each hardware driver software source code routine in a set of software source code files creating an HDL description of a hardware system, comprising</u>

a computer;

a hardware device determination program on said computer, wherein said hardware device determination program comprises:

- a) means for searching for a hardware driver software source code routine in all of said set of software source code files, and
- b) means for comparing said hardware driver software source code
  routine with each entry in a list of hardware driver software source code
  routines and corresponding hardware devices,
- c) means for repeating a) and b) for each hardware driver software source code routine in said set of software source code files an HDL description creation program

LAW OFFICES OF MarPherson, Kwolt, Chen & Hall har 1962 Technology Drive, State Z16 Sam Jose, CA 99110 (448)-302-4520

on-said computer, wherein said HDL-description creation program comprises:

- a) means for selecting a processor for a system, using a description of system requirements and system desires, said means consisting of
  - i) means for reading a list of processors and their attributes from a processor attribute table;
  - ii) means for reading processor requirements from a processor specification list,
  - iii) means for eliminating-all-processors from said processor attribute table that do not meet said processor requirements,
  - iv) means for reading processor desires from a processor specification list,
  - v) means for assigning a value of 0 to each remaining processor in said processor attribute table,
  - vi) means for adding 1 to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table,
  - vii) means for selecting the processor with the highest assigned value from said processor attribute table,
  - viii) means for selecting an HDL representation of said selected
    processor from a list of HDL representations of processors,

LAW OPPICES OF MacPherson, Kwitt, Ches & Heid LLP 1762 Technology Drive, Saite 226 San Juse, CA 95110 (408):392-9520

- b) means for determining the corresponding hardware device for given hardware driver software source code routine, said means consisting of
  - i) means for searching for descriptions in each header of each hardware driver software source code routine,
  - ii) means for finding each corresponding hardware device that is named in said description in the header of each hardware driver software source code routine,
  - iii) means for selecting an HDL representation of each
    corresponding hardware device from a list of HDL representations of
    hardware devices,
- c) means for combining said HDL representation of said selected

  processor with said HDL representation of each selected hardware device into
  a single HDL representation of an entire system.
- 18) (Currently amended) An apparatus <u>for creating a physical hardware</u> description of a hardware system, comprising

a computer;

- a hardware physical description creation program on said computer, wherein said hardware physical description creation program comprises:
  - a) means for selecting a processor for a system, using a description of system requirements and system desires, said means consisting of for selecting comprising:

MincPharton, Kereli, Chan & Habit (LA) 1762 Technology Drive, Suite 226 San Jose, CA 95110 (403)-392-0520

- i) means for reading a list of processors and their attributes from a processor attribute table,
- ii) means for reading processor requirements from a processor specification list,
- iii) means for eliminating all processors from said processor attribute table that do not meet said processor requirements,
- iv) means for reading processor desires and corresponding values for each desire from a processor specification list,
- v) means for assigning a value of 0 to each remaining processor in said processor attribute table,
- vi) means for adding 1 the value of each processor desire to the value of each processor in said processor attribute table for each processor desire that is an attribute of said processor in said processor attribute table,
- vii) means for selecting the processor with the highest assigned

  value ranking according to the assigned values, highest to lowest, all

  processors that have not been eliminated from said processor attribute

  table, and
- viii) means for selecting a physical hardware representation of said selected processor from a list of physical hardware representations of processors,

LAW CIPPICES OF MiscPhoraus, Kwelt, Chen & Hold Lar 1762 Technology Drive, Same 226 Sm. Jose. CA 95119 (408)-392-9520

- b) means for determining the corresponding hardware device for given hardware driver software source code routine, said means for determining comprising: consisting of
  - i) means for searching for <u>a description in each header of</u> each hardware driver software source code routine in all of the software source code,
  - ii) means for <u>finding each</u> comparing said given hardware driver software source code routine with each entry in a list of hardware driver software source code routines and corresponding hardware devices device that is named in said description.
  - iii) means for selecting a physical hardware representation of each corresponding hardware device from a list of physical hardware representations of hardware devices,
- c) means for combining said physical hardware representation of said selected processor with said physical representation of each selected hardware device into a single physical representation of an entire system.
- 19) (Currently amended) The apparatus of Claim 18) wherein said hardware representation comprises a hardware description language (HDL) description An apparatus for creating a schematic description of a hardware system, comprising

a computer;

a schematic description creation program on said computer, wherein said

LAW OPPICES OF Ministerson, Kweit, Chen & Held Cur 1762 Technology Drive, Suite Z26 San Jone, CA 95110 (405)-362-6520 FAX (401)-362-952

Serial No. 10/604,156

schematic description creation-program comprises:

a) means for selecting a processor for a system, using a description of system requirements and system-desires, said means consisting of

i) means for reading a list of processors and their attributes from a processor attribute table,

- ii) means for reading processor requirements from a processor specification list,
- iii) means for eliminating all processors from said processor

  attribute table that do not meet said processor requirements,
- iv) means for reading processor desires from a processor specification list,
- v) means for assigning a value of 0 to each remaining processor in said processor attribute table,
- vi) means for adding 1 to the value of each processor in said

  processor attribute table for each processor desire that is an attribute of

  said processor in said processor attribute table;
- vii) means for selecting the processor with the highest assigned value from said processor attribute table,
- viii) means for selecting a schematic representation of said
  selected processor from a list of schematic representations of
  processors.
- b) means for determining the corresponding hardware device for given
  - -19- Serial No. 10/604,156

LAW OFFICES OF MacPhenes, Kurak, Ches & Held Lar 1762 Technology Drive, Salte 226 San Jose, CA 99110 (408)-392-9520 hardware driver software source code routine, said means consisting of

- i) means for searching for each hardware driver software source code routine in all of the software source code;
- ii) means for comparing said given hardware driver software source code routine with each entry in a list of hardware driver software source code routines and corresponding hardware devices.
- iii) means for selecting a schematic representation of each
  corresponding hardware device from a list of physical representations
  of hardware devices,
- c) means for combining said schematic representation of said selected processor with said schematic representation of each selected hardware device into a single schematic representation of an entire system.
- 20) (Currently amended) The apparatus of Claim 18) wherein said hardware representation comprises a physical layout A apparatus for creating a netlist description of a hardware system, comprising

a-computer;

a netlist description creation program on said computer, wherein said netlist description creation program comprises:

a) means for selecting a processor for a system, using a description of system requirements and system desires; said means consisting of

i) means for reading a list of processors and their attributes from

Serial No. 10/604,156

MarPharam, Kurth, Cheu & Edd Lap 1762 Technology Drive, Suite 225 San Jose, CA 95119 (400)-392-9520 P.A.Y. rashin vite 40167

-20-

a processor attribute table,

- ii) means for reading processor requirements from a processor specification list,
- iii) means for eliminating all processors from said processor attribute table that do not meet said processor requirements,
- iv) means for reading processor desires and corresponding values for each desire from a processor specification list,
- v) means for assigning a value of 0 to each remaining processor in said processor attribute table,
- vi) means for adding the value of each processor desire to the

  value of each processor in said processor-attribute table for each

  processor desire that is an attribute of said processor in said processor

  attribute table.
- vii) means for ranking according to the assigned values, highest
  to lowest, all processors that have not been eliminated from said
  processor attribute table,
- viii) means for selecting a notlist representation of said selected processor from a list of netlist representations of processors,
- b) means for determining the corresponding hardware device for given hardware driver software source code routine, said means consisting of
  - i) means for searching for descriptions in each header of each
    -21- Serial No. 10/604,156

LAW OFFICES OF MacFronn, Kwok, Chen & Had Lir 1762 Technology Drive, Same 226 Same Jose, CA 99110 (403)-392-9920 hardware driver software source code routine,

- ii) means for finding each corresponding hardware device that is

  named in said description in the header of each hardware driver

  software source code routine,
- iii) means for selecting an netlist representation of each
  corresponding hardware device from a list of netlist representations of
  hardware devices,
- c) means for combining said netlist representation of said selected

  processor with said netlist representation of each selected hardware device into

  a single netlist representation of an entire system.
- 21) (New) The apparatus of Claim 18) wherein said hardware representation comprises a circuit schematic.
- 22) (New) The apparatus of Claim 18) wherein said hardware representation comprises a circuit netlist..

MineTherson, Mweb, Chen & Held Che 1762 Technology Drive, Seale 226 San Jose, CA 90110 (409)-302-0528